

MULTI TUBE FIBER OPTIC CABLES SJNMA- DRY -LSZH-HFFR

U-DQH

IEC 60793-1-2, IEC 60794-3-12

Multi Tube, Single Sheathed, DRY Fiber Optic Cables



APPLICATIONS	CONSTRUCTION
HDPE in long distance and local communication networks, etc. it is used in pipes made of material.	Ose Dyed Fiber are placed inside the Loose tubes, then it is bent by SZ method and LSZH-HFFR it is sheathed with material. It has the property of water blocking.

PHYSICAL PROPERTIES	
Fiber Type	SM 9/125 G652 D, G657 A1, G657 A2, G657 B3, G655 MM 62.5/125 OM1, 50/125 OM2, 50/125 OM3, 50/125 OM4 , 50/125 OM5
Tube Material	PBT & PBT+PC
Tube Filling Compound	Thixotropic Jelly
Filling Material	Water Blocking Tape
Ripcord Type	Polyester Ripcord
Outer Jacket	Black-LSZH-HFFR

MECHANICAL AND ENVIRONMENTAL PROPERTIES		
Physical Tests	Values	Standards
Tensile Strength (Working)	600 N	IEC 60794-1-2 E1
Tensile Strength (Assembly)	1200 N	IEC 60794-1-2 E1
Impact Strength	10 J, 3 impacts	IEC 60794-1-2 E4
Crushing Strength	500 N / 10 cm	IEC 60794-1-2 E3
Water Tightness	24 hours 3 m length	IEC 60794-1-2 F5
Bending Radius	20 x cable diameter	IEC 60794-1-2 E11
Operating Temperature	-40 to +70 °C	IEC 60794-1-2 F1
Storage Temperature	-40 to +70 °C	IEC 60794-1-2 F1

SHEATH MARKING, PACKAGING INFORMATION	
Marking	Erat Cable <Production Year> <Fiber Number and Type> <Meter>
Packaging	2000 mt ±%5
Packaging Information	Wooden Reel

TECHNICAL DATA

Fiber Count	Tube Count	Filler Count	Tube Diameter (mm)	Cable Diameter (mm)	Approximate Weight (kg/km)
24	2	4	1.85±0.05	9.4±0.5	92
24	6	0	1.85±0.05	9.4±0.5	94
48	4	2	1.85±0.05	9.4±0.5	95
48	6	0	1.85±0.05	9.4±0.5	94
72	6	0	1.85±0.05	9.4±0.5	96
96	8	0	1.85±0.05	10.4±0.5	123
144	12	0	1.85±0.05	12.8±0.5	167
288	24	0	2.1±0.05	16.3±0.5	211

CONSTRUCTION

<p>24 Fiber 2x12</p> <ul style="list-style-type: none"> Optical Fiber Thixotropic Jelly Loose Tube FRP Water Blocking Tape Ripcord LSZH/HFFR Outer Jacket 	<p>24 Fiber 6x4</p> <ul style="list-style-type: none"> Optical Fiber Thixotropic Jelly Loose Tube FRP Water Blocking Tape Ripcord LSZH/HFFR Outer Jacket
<p>48 Fiber 4x12</p> <ul style="list-style-type: none"> Optical Fiber Thixotropic Jelly Loose Tube FRP Water Blocking Tape Ripcord LSZH/HFFR Outer Jacket 	<p>48 Fiber 6x8</p> <ul style="list-style-type: none"> Optical Fiber Thixotropic Jelly Loose Tube FRP Water Blocking Tape Ripcord LSZH/HFFR Outer Jacket
<p>72 Fiber 6x12</p> <ul style="list-style-type: none"> Optical Fiber Thixotropic Jelly Loose Tube FRP Water Blocking Tape Ripcord LSZH/HFFR Outer Jacket 	<p>96 Fiber 8x12</p> <ul style="list-style-type: none"> Optical Fiber Thixotropic Jelly Loose Tube FRP Water Blocking Tape Ripcord LSZH/HFFR Outer Jacket
<p>144 Fiber 12x12</p> <ul style="list-style-type: none"> Optical Fiber Thixotropic Jelly Loose Tube FRP FRP Coating Water Blocking Tape Ripcord LSZH/HFFR Outer Jacket 	<p>288 Fiber 24x12</p> <ul style="list-style-type: none"> Optical Fiber Thixotropic Jelly Loose Tube FRP FRP Coating Water Blocking Tape Ripcord LSZH/HFFR Outer Jacket

FIBER COLOR CODE / TIA-598 - A							
	1- Blue		7- Red		13- Blue / Black Stripes		19- Red / Black Striped
	2- Orange		8- Black		14- Orange / Black Stripes		20- Natural
	3- Green		9- Yellow		15- Green / Black Stripes		21- Yellow / Black Striped
	4- Brown		10- Violet		16- Brown / Black Stripes		22- Violet / Black Striped
	5- Grey		11- Pink		17- Grey / Black Striped		23- Pink / Black Striped
	6- White		12- Aqua		18- White / Black Striped		24- Aqua / Black Striped

COLOR OF LOOSE TUBES / TIA-598											
1	2	3	4	5	6	7	8	9	10	11	12
Blue	Orange	Green	Brown	Grey	White	Red	Black	Yellow	Violet	Pink	Aqua

Note: Black striped for more than 12 tubes